



FISH

COLLECTION


DIGITAL WALL TILES
300x450 mm

GVT & PGVT
600x1200 mm

**BRAND NEW
DESIGNS**




FISH COLLECTION | 300X450MM | GLOSSY FINISH



3186-L
3186-HL-1
3186-HL-2
3186-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH




3186-L
3186-HL-3A
3186-HL-3B
3186-D



3333-L
3333-HL-1
3333-HL-2
3333-D

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3187-L
3187-HL-2
3187-HL-1
3187-D



3187-L
3187-HL-5A
3187-HL-5B
3187-D





Tiles Shown : 3187 - L-D-HL5A,HL5B
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3188-L
3188-HL-2
3188-HL-1
3188-D






3188-L
3188-HL-3
3188-HL-1
3188-D




3189-L
3189-HL-2
3189-HL-1
3189-D

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3189-L
 3189-L
 3189-HL-3
 3189-D



3192-HL-3
 3192-HL-2
 3192-HL-1
 3192-D





Tiles Shown : 3192 - L-D-HL1,HL2,HL3
300x450mm | Glossy


FISH COLLECTION | 300X450MM | GLOSSY FINISH



3192-L
3192-HL-4-A
3192-HL-4-B
3192-HL-4-C
3192-HL-5



FISH COLLECTION | 300X450MM | GLOSSY FINISH



PLAIN WHITE
3192-HL-6A
3192-HL-6B
3192-HL-5



3209-L
3209-HL-1A
3209-HL-1B
3209-D



Use for Wall



Water Proof



Quality Assurance




Easy to Install



Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3209-L
3209-HL-2A
3209-HL-2B
3209-D



3209-L
3209-HL-3A
3209-HL-3B
3209-D



Use for Wall



Water Proof



Quality Assurance



Easy to Install



Chemical Resistance



Tiles Shown : 3209 - L-D-HL3A,HL3B,
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH




3209-L
3209-HL-6A
3209-HL-6B
3209-D



FISH | 300X | GLOSSY
COLLECTION | 450MM | FINISH



3209-D
3209-HL-4A
3209-HL-5B
3209-D



3209-D
3209-HL-4A
3209-HL-4B
3209-D



Use for
Wall



Water
Proof



Quality
Assurance




Easy to
Install



Chemical
Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3209-L
3209-HL-9A
3209-HL-9B
3209-D




3209-L
3209-HL-12A
3209-HL-12B
3209-D





Tiles Shown : 3209 - L-D-HL8A,HL8B
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH




3209-L
3209-HL-8A
3209-HL-8B
3209-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



3209-L
3209-HL7A
3209-HL-7A (R1)
3209-HL-7A (R2)



3209-L
3209-HL-7B (R1)
3209-HL-7B (R2)
3209-HL-7B (R3)



Use for Wall



Water Proof



Quality Assurance




Easy to Install




Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3473-L
3473-HL-1A
3473-HL-1B
3473-D



3398-L
3398-HL-1A
3398-HL-1B
3398-D



Use for Wall



Water Proof



Quality Assurance



Easy to Install



Chemical Resistance



Tiles Shown : 3398 - L-D-HL1A,HL1B
300x450mm | Glossy


FISH COLLECTION | 300X450MM | GLOSSY FINISH



3222-L
3222-HL-1
3222-HL-2
3222-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



3222-L
3222-HL-3A
3222-HL-3B
3222-D



3226-L
3226-HL-1
3226-HL-2
3226-D



Use for Wall



Water Proof



Quality Assurance




Easy to Install




Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3226-L
3226-HL-4
3226-HL-3
3226-D



3395-L
3395-HL-1A
3395-HL-1B
3395-D





Tiles Shown : 3395 - L-D-HL1A,HL1B
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3395-L
3395-HL-2A
3395-HL-2B
3395-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



3395-L
3395-HL-3A-(R1)
3395-HL-3A-(R2)
3395-HL-3A-(R3)

3395-L
3395-HL-3B-(R1)
3395-HL-3B-(R2)
3395-HL-3B-(R3)



Use for Wall



Water Proof



Quality Assurance



Easy to Install




Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3395-HL-4A
3395-HL-4B
3395-HL-4C
3395-D



3396-L
3396-HL-2A
3396-HL-2B
3396-D



Use for Wall



Water Proof



Quality Assurance



Easy to Install




Chemical Resistance



Tiles Shown : 3396 - L-D-HL2A,HL2B
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3396-L
3396-HL-1A
3396-HL-1B
3396-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



3397-L
3397-HL-1A
3397-HL-1B
3397-D




3397-L
3397-HL-2
3397-HL-1B
3397-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



3445-L
3445-HL-1A
3445-HL-1B
3445-D




3445-L
3445-HL-2A
3445-HL-2B
3445-D





Tiles Shown : 3445 - L-D-HL2A,HL2B
300x450mm | Glossy


FISH COLLECTION | 300X450MM | GLOSSY FINISH




3445-L
3445-HL-3A
3445-HL-3B
3445-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH




3472-L
3472-HL-1A
3472-HL-1B
3472-D



3472-L
3472-HL-2A
3472-HL-2B
3472-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



3472-L
3472-HL-3A
3472-HL-3B
3472-D




3474-L
3474-HL-1A
3474-HL-1B
3474-D





Tiles Shown : 3474 - L-D-HL1A,HL1B
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH




3474-L
3474-HL-2A
3474-HL-2B
3474-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



3474-L
3474-HL-3A
3474-HL-3B
3474-D




3596-L
3596-HL-1
3596-D
3596-D



FISH | 300X | GLOSSY
COLLECTION | 450MM | FINISH



3551-L
3551-HL-2A
3551-HL-2B
3551-D




3551-L
3551-HL-1A
3551-HL-1B
3551-D





Tiles Shown : 3551 - L-D-HL2A,HL2B
300x450mm | Glossy

FISH | 300X | GLOSSY
COLLECTION | 450MM | FINISH



3552-L
3552-HL-1
3552-HL-2-(R1)
3552-HL-2-(R2)
3552-D



Use for
Wall



Water
Proof



Quality
Assurance




Easy to
Install




Chemical
Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH




3597-L
3597-HL-1A
3597-HL-1B
3597-D



3597-L
3597-HL-2A
3597-HL-2B
3597-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



3609-L
3609-HL-1
3609-D
3609-D



3715-L
3715-HL-1A
3715-HL-1B
3715-D



Use for Wall



Water Proof



Quality Assurance



Easy to Install



Chemical Resistance



Tiles Shown : 3715 - L-D-HL1A,HL1B
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3720-L
3720-HL-1A
3720-HL-1B
3720-D



Use for Wall



Water Proof



Quality Assurance




Easy to Install




Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3612-L
3612-HL-1A
3612-HL-1B
3612-D




3612-L
3612-HL-2A
3612-HL-2B
3612-D





Tiles Shown : 3621 - L-D-HL2A,HL2B
300x450mm | Glossy


FISH COLLECTION | 300X450MM | GLOSSY FINISH




3885-L
3885-HL-1A
3885-HL-1B
3885-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



3897-L
3897-HL-1A
3897-HL-1B
3897-D



3898-L
3898-HL-1A
3898-HL-1B
3898-D



Use for Wall



Water Proof



Quality Assurance




Easy to Install




Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH



3899-L
 3899-HL-1A
 3899-HL-1B
 3899-D



3900-L
 3900-HL-1A
 3900-HL-1B
 3900-D






Tiles Shown : 3900 - L-D-HLIA,HLIB
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH

NEW



3901-L
3901-HL 1A
3901-HL 1B
3901-D



Use for Wall



Water Proof



Quality Assurance




Easy to Install



Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH

NEW



3901-L
3901-HL-2A
3901-HL-2B
3901-D



3983-L
3983-HL-1A
3983-HL-1B
3983-D



Use for Wall



Water Proof



Quality Assurance




Easy to Install




Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH



4036-L
4036-HL-1
4036-HL-2
4036-D



4035-L
4035-HL-1
4035-HL-2
4035-D






Tiles Shown : 4035 - L-D-HLIA,HLIB
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH

NEW



4069-L
4069-HL 1A
4069-HL 1B
4069-D



Use for Wall



Water Proof



Quality Assurance





Easy to Install



Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH

NEW



4067-HL-1A
4067-HL-1B
4067-HL-1C
4067-D

4067-L
4067-HL-1A
4067-HL-1C
4067-D



Use for Wall



Water Proof



Quality Assurance




Easy to Install




Chemical Resistance

FISH COLLECTION | 300X450MM | GLOSSY FINISH

NEW



4114-L
4114-HL-1
4114-HL-2
4114-D



4157-L
4157-HL-1A
4157-HL-1B
4157-D





Tiles Shown : 4157 - L-D-HL1A,HL1B
300x450mm | Glossy

FISH COLLECTION | 300X450MM | GLOSSY FINISH




4156-L
4156-HL 1A
4156-HL 1B
4156-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



4225-L
4225-HL-1A
4225-HL-1B
4225-D



4312-L
4312-HL-1A
4312-HL-1B
4312-D



FISH COLLECTION | 300X450MM | GLOSSY FINISH



4326-L
4326-HL-1A
4326-HL-1B
4326-D



4324-L
4324-HL-1A
4324-HL-1B
4324-D





Tiles Shown : 4324 - L-D-HL1A,HL1B
300x450mm | Glossy

TECHNICAL SPECIFICATION

WALL TILES & MATCHING FLOOR TILES

300x450mm 300x300mm

CHARACTERISTICS				
(A) DIMENSION & SURFACE QUALITY	Requirement as per ISO 13006:2012 Gr BIII Eb ≥ 10%	Requirement as per IS 15622:2017 Gr BIII Eb > 10%	Value	Test Method
Deviation In Length & Width	± 0.5%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 10.0%	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%	± 0.15%	± 0.15%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.5%	± 0.15%	± 0.15%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.5%, -0.3%	± 0.3%	± 0.22%	ISO 10545 Part-2 IS 13630 Part-1
Water Absorption % By Wt.	> 10.0%, Ind 9.0% Min.	> 10.0%, Ind 9.0% Min.	15-20%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm ²	Min. 15	Min. 15	≥ 15 N/mm ²	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	600 N Min.	600 N Min.	> 700 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min	Min. PEI III	ISO 10545 Part-7 IS 13630 Part-11
Thermal Shock Resistance	10 cycle Min.	10 cycle Min.	No Damage after 10 cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.04 Max.	0.02 Max.	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycle at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Mohs' Scratch Hardness	Min. 3	Min. 3	≥ 3	EN 101 IS 13630 Part-13
Resistance To House hold Chemicals	No Damage	Min Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min Class 3	Min Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

PACKAGING DETAIL : DIGITAL WALL TILES

Type	Size. (MM)	Thickness	Weight (Kg.)	No. Of Tiles/set	Area Sq.mtr/box
WALL TILES	300x450	7.3 mm	10.3	6	0.81 m ²
WALL TILES	300x300	7.3 mm	9.5	8	0.81 m ²

APPLICATION



*Notes:

- All technical specifications in this catalogue are for premium grade material only.
- **SHADE/SIZE VARIATIONS** are inherent characteristics of ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated. It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
- It is recommended to check the tiles before laying/fixing. Quality standards cover only 1st/premium quality only.
- Company's liability is limited to material that has not been laid.
- **NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.**
- The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
- No complaint is entertained on decoration done on tiles, other than the ones done by BONZER 7 TILES

GENERAL NOTE: ANY COMPLAINT MUST BE BROUGHT TO THE COMPANY'S NOTICE WITHIN 10 DAYS OF PURCHASE & BEFORE FIXING OF TILES.