



FLOWER

COLLECTION






DIGITAL WALL TILES
300x450 mm

GVT & PGVT
600x1200 mm




**BRAND NEW
DESIGNS**



FLOWER COLLECTION | 300X450MM | GLOSSY FINISH



3197-L
3197-HL-1A
3197-HL-1B
3197-D



3234-L
3234-HL-1A
3234-HL-1B
3234-D



FLOWER
COLLECTION | 300X
450MM | GLOSSY
FINISH



3478-L
3478-HL-1A
3478-HL-1B
3478-D



3178-L
3178-HL-2A
3178-HL-2B
3178-D





Tiles Shown : 3178- L-D-HL2A,HL2B
300x450mm | Glossy

FLOWER
COLLECTION | 300X
450MM | GLOSSY
FINISH





3497-L
3497-HL-1A
3497-HL-1B
3497-D



FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3498-L
3498-HL-1A
3498-HL-1B
3498-D



3538-L
3538-HL-1A
3538-HL-1B
3538-D



Use for
Wall



Water
Proof



Quality
Assurance




Easy to
Install



Chemical
Resistance

FLOWER
COLLECTION | 300X
450MM | GLOSSY
FINISH



3523-L
3523-HL-1A
3523-HL-1B
3523-D



3523-L
3523-HL-3A
3523-HL-3B
3523-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance



Tiles Shown : 3523 - L-D-HL1A,HL1B
300x450mm | Glossy

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3554-L
3554-HL-4A
3554-HL-4B
3554-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance


FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3553-L
3553-HL-1A
3553-HL-1B
3553-D



3609-L
3609-HL-3A
3609-HL-3B
3609-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance


FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3627-L
3627-HL-1A
3627-HL-1B
3627-D



3627-L
3627-HL-2A
3627-HL-2B
3627-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance



Tiles Shown : 3627 - L-D-HL2A,HL2B
300x450mm | Glossy

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3878-L
3878-HL-1A
3878-HL-1B
3878-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3617-L
3617-HL-1A
3617-HL-1B
3617-HL-1C
3617-D



3617-L
3617-HL-1A
3617-HL-1B
3617-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance

FLOWER
COLLECTION | 300X
450MM | GLOSSY
FINISH



3613-L
3613-HL-1A
3613-HL-1B
3613-D



3616-L
3616-HL-1A
3616-HL-1B
3616-D





Tiles Shown : 3616 - L-D-HL1A,HL1B
300x450mm | Glossy

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



4124-L
4124-HL-1A
4124-HL-1B
4124-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install




Chemical
Resistance


FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3692-L
3692-HL-1A
3692-HL-1B
3692-D



3692-L
3692-HL-2A
3692-HL-2B
3692-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install




Chemical
Resistance


FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3642-L
3642-HL-1A
3642-HL-1B
3642-D



3673-L
3673-HL-2A
3673-HL-2B
3673-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance



Tiles Shown : 3673 - L-D-HL2A,HL2B
300x450mm | Glossy

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH

NEW



4309-L
4309-HL-1A
4309-HL-1B
4309-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3707-L
3707-HL-1A
3707-HL-1B
3707-D



3714-L
3714-HL-1A
3714-HL-1B
3714-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install




Chemical
Resistance

FLOWER
COLLECTION | 300X
450MM | GLOSSY
FINISH



3694-L
3694-HL-1A
3694-HL-1B
3694-D



3756-L
3756-HL-1A
3756-HL-1B
3756-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance



Tiles Shown : 3756 - L-D-HL1A,HL1B
300x450mm | Glossy

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3883-L
3883-HL-1A
3883-HL-1B
3883-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3877-L
3877-HL-1A
3877-HL-1B
3877-D



3887-L
3887-HL-1A
3887-HL-1B
3887-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install




Chemical
Resistance

FLOWER
COLLECTION | 300X
450MM | GLOSSY
FINISH



3913-L
3913-HL-1A
3913-HL-1B
3913-D



4310-L
4310-HL-1A
4310-HL-1B
4310-D





Tiles Shown : 4310 - L-D-HL1A,HL1B
300x450mm | Glossy

FLOWER
COLLECTION | 300X
450MM | GLOSSY
FINISH



3915-L
3915-HL-1A
3915-HL-1B
3915-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install




Chemical
Resistance

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



3977-L
3977-HL-1A
3977-HL-1B
3977-D



3984-L
3984-HL-1A
3984-HL-1B
3984-D



Use for
Wall



Water
Proof



Quality
Assurance




Easy to
Install



Chemical
Resistance



3986-L
3986-HL-1A
3986-HL-1B
3986-D



4311-L
4311-HL-1A
4311-HL-1B
4311-D




Tiles Shown : 4311 - L-D-HL1A,HL1B
300x450mm | Glossy

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



4096-L
4096-HL-1A
4096-HL-1B
4096-D



Use for
Wall



Water
Proof



Quality
Assurance







Easy to
Install



Chemical
Resistance

FLOWER
COLLECTION | 300X
450MM | GLOSSY
FINISH



3993-L
3993-HL-1A
3993-HL-1B
3993-D

3993-L
3993-HL-2A
3993-HL-2B
3993-D




FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



4138-L
4138-HL-1A
4138-HL-1B
4138-D



4213-L
4213-HL-1A
4213-HL-1B
4213-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install




Chemical
Resistance



Tiles Shown : 4213 - L-D-HL1A,HL1B
300x450mm | Glossy

FLOWER
COLLECTION | 300X
450MM | GLOSSY
FINISH

NEW



4306-L
4306-HL-1A
4306-HL-1B
4306-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install




Chemical
Resistance

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH



4139-L
4139-HL-1A
4139-HL-1B
4139-D



4261-L
4261-HL-1A
4261-HL-1B
4261-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance



4313-L
4313-HL-1A
4313-HL-1B
4313-D



4315-L
4315-HL-1A
4315-HL-1B
4315-D




Tiles Shown : 4315 - L-D-HL1A, HL1B
300x450mm | Glossy

FLOWER
COLLECTION

300X
450MM

GLOSSY
FINISH

NEW



4327-L
4327-HL-1A
4327-HL-1B
4327-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install



Chemical
Resistance



4319-L
4319-HL-1A
4319-HL-1B
4319-D



4325-L
4325-HL-1A
4325-HL-1B
4325-D

TECHNICAL SPECIFICATION

WALL TILES & MATCHING FLOOR TILES

300x450mm 300x300mm

CHARACTERISTICS				
(A) DIMENSION & SURFACE QUALITY	Requirement as per ISO 13006:2012 Gr BIII Eb ≥ 10%	Requirement as per IS 15622:2017 Gr BIII Eb > 10%	Value	Test Method
Deviation In Length & Width	± 0.5%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 10.0%	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%	± 0.15%	± 0.15%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.5%	± 0.15%	± 0.15%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.5%, -0.3%	± 0.3%	± 0.22%	ISO 10545 Part-2 IS 13630 Part-1
Water Absorption % By Wt.	> 10.0%, Ind 9.0% Min.	> 10.0%, Ind 9.0% Min.	15-20%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm ²	Min. 15	Min. 15	≥ 15 N/mm ²	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	600 N Min.	600 N Min.	> 700 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min	Min. PEI III	ISO 10545 Part-7 IS 13630 Part-11
Thermal Shock Resistance	10 cycle Min.	10 cycle Min.	No Damage after 10 cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.04 Max.	0.02 Max.	ISO 10545 Part-10 IS 13630 Part-3
Craze Resistance	Required	4 Cycle at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Moh'S Scratch Hardness	Min. 3	Min. 3	≥ 3	EN 101 IS 13630 Part-13
Resistance To House hold Chemicals	No Damage	Min Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min Class 3	Min Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

PACKAGING DETAIL : DIGITAL WALL TILES

Type	Size. (MM)	Thickness	Weight (Kg.)	No. Of Tiles/set	Area Sq.mtr/box
WALL TILES	300x450	7.3 mm	10.3	6	0.81 m ²
WALL TILES	300x300	7.3 mm	9.5	8	0.81 m ²

APPLICATION



*Notes:

- All technical specifications in this catalogue are for premium grade material only.
- **SHADE/SIZE VARIATIONS** are inherent characteristics of ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated. It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
- It is recommended to check the tiles before laying/fixing. Quality standards cover only 1st/premium quality only.
- Company's liability is limited to material that has not been laid.
- **NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.**
- The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
- No complaint is entertained on decoration done on tiles, other than the ones done by BONZER 7 TILES

GENERAL NOTE: ANY COMPLAINT MUST BE BROUGHT TO THE COMPANY'S NOTICE WITHIN 10 DAYS OF PURCHASE & BEFORE FIXING OF TILES.