



300x450mm

DIGITAL WALL TILES

MATT
COLLECTION

BRAND NEW DESIGNS



MATT | 300X | MATT
COLLECTION | 450MM | FINISH




5038-L
5038-HL-1
5038-HL-1
5038-D



MATT
COLLECTION

300X
450MM

MATT
FINISH



5023-L
5023-HL-1
5023-HL-1
5023-D



5023-L
5023-HL-2
5023-HL-2
5023-D



Use for
Wall



Water
Proof



Quality
Assurance



Easy to
Install




Chemical
Resistance




**Tiles Shown : 5023-LD,HL2
300x450mm | Matt**

MATT | 300X | MATT
COLLECTION | 450MM | FINISH




5006-cream
5006-brown




5006-cream
5006-beige



MATT | 300X | MATT
COLLECTION | 450MM | FINISH




5006-grey
5006-black




5006-white
5006-black



MATT | 300X | MATT
COLLECTION | 450MM | FINISH



5052-HL4
5052-HL3
5052-HL6
5052-HL5



5052-L
5052-HL1
5052-HL2
5052-D






**Tiles Shown : 5052-LD,HL2
300x450mm | Matt**



5053-HL-6
5053-HL-3
5053-HL-4
5053-HL-5



5053-L
5053-HL-1
5053-HL-2
5053-D

MATT | 300X | MATT
COLLECTION | 450MM | FINISH



5039-L
5039-HL-1
5039-HL-1
5039-D



Use for Wall



Water Proof




Quality Assurance




Easy to Install



Chemical Resistance



7350



7349

7038



Use for Wall



Water Proof



Quality Assurance




Easy to Install



Chemical Resistance

MATT | 300X | MATT
COLLECTION | 450MM | FINISH



7041



7030



MATT | 300X | MATT
COLLECTION | 450MM | FINISH



7042




7043





**Tiles Shown : 7043
300x450mm | Matt**


MATT | 300X | MATT
COLLECTION | 450MM | FINISH




7040-HL5
7350-HL-1



MATT | 300X | MATT
COLLECTION | 450MM | FINISH



7058



7061



Use for
Wall



Water
Proof



Quality
Assurance




Easy to
Install



Chemical
Resistance

MATT | 300X | MATT
COLLECTION | 450MM | FINISH



7070



7086






**Tiles Shown : 7070
300x450mm | Matt**

MATT | 300X | MATT
COLLECTION | 450MM | FINISH



7067




7073

-  Use for Wall
-  Water Proof
-  Quality Assurance
-  Easy to Install
-  Chemical Resistance

MATT | 300X | MATT
COLLECTION | 450MM | FINISH



7310



7352



TECHNICAL SPECIFICATION

WALL TILES & MATCHING FLOOR TILES

300x450mm 300x300mm

CHARACTERISTICS				
(A) DIMENSION & SURFACE QUALITY	Requirement as per ISO 13006:2012 Gr BIII Eb ≥ 10%	Requirement as per IS 15622:2017 Gr BIII Eb > 10%	Value	Test Method
Deviation In Length & Width	± 0.5%	± 0.1%	± 0.1%	ISO 10545 Part-2 IS 13630 Part-1
Deviation In Thickness	± 10.0%	± 5.0%	± 3.0%	ISO 10545 Part-2 IS 13630 Part-1
Straightness of Edge	± 0.3%	± 0.15%	± 0.15%	ISO 10545 Part-2 IS 13630 Part-1
Rectangularity	± 0.5%	± 0.15%	± 0.15%	ISO 10545 Part-2 IS 13630 Part-1
Surface Flatness	± 0.5%, -0.3%	± 0.3%	± 0.22%	ISO 10545 Part-2 IS 13630 Part-1
Water Absorption % By Wt.	> 10.0%, Ind 9.0% Min.	> 10.0%, Ind 9.0% Min.	15-20%	ISO 10545 Part-3 IS 13630 Part-2
Flexural Strength (MOR) In N/mm ²	Min. 15	Min. 15	≥ 15 N/mm ²	ISO 10545 Part-4 IS 13630 Part-6
Breaking Strength in N	600 N Min.	600 N Min.	> 700 N	ISO 10545 Part-4 IS 13630 Part-6
Resistance to Surface Abrasion	Manufacturer to State Class	PEI II Min	Min.PEI III	ISO 10545 Part-7 IS 13630 Part-11
Thermal Shock Resistance	10 cycle Min.	10 cycle Min.	No Damage after 10 cycles	ISO 10545 Part-9 IS 13630 Part-5
Moisture Expansion in mm/M	Test Method Available	0.04 Max.	0.02 Max.	ISO 10545 Part-10 IS 13630 Part-3
Crazing Resistance	Required	4 Cycle at 7.5 bar Min.	Resistance	ISO 10545 Part-11 IS 13630 Part-9
Moh'S Scratch Hardness	Min. 3	Min. 3	≥ 3	EN 101 IS 13630 Part-13
Resistance To House hold Chemicals	No Damage	Min Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	No Damage	Min Class AA	Class AA	ISO 10545 Part-13 IS 13630 Part-8
Stain Resistance	Min Class 3	Min Class 1	Class 1	ISO 10545 Part-14 IS 13630 Part-8

PACKAGING DETAIL : DIGITAL WALL TILES

Type	Size. (MM)	Thickness	Weight (Kg.)	No. Of Tiles/set	Area Sq.mtr/box
WALL TILES	300x450	7.3 mm	10.3	6	0.81 m ²
WALL TILES	300x300	7.3 mm	9.5	8	0.81 m ²

APPLICATION



*Notes:

- All technical specifications in this catalogue are for premium grade material only.
- **SHADE/SIZE VARIATIONS** are inherent characteristics of ceramics. Certain products purposely have variations which are part of design & process. The same have been indicated. It is recommended to blend tiles by mixing tiles from various boxes & check for natural hue before fixing the tiles.
- It is recommended to check the tiles before laying/fixing. Quality standards cover only 1st/premium quality only.
- Company's liability is limited to material that has not been laid.
- **NO COMPLAINT SHALL BE ENTERTAINED ON TILES ALREADY FIXED/LAID.**
- The liability is also limited to the material supplied by the company; no other claim is entertained under any circumstances.
- No complaint is entertained on decoration done on tiles, other than the ones done by BONZER 7 TILES

GENERAL NOTE: ANY COMPLAINT MUST BE BROUGHT TO THE COMPANY'S NOTICE WITHIN 10 DAYS OF PURCHASE & BEFORE FIXING OF TILES.